

REBEL SPORT

PURCHASE ORDER GUIDELINE

VERSION: 1.1

Created: February 24, 2000
Modified: February 21, 2001
Modified: July 26, 2002

Notes: Message created from EANCOM 1997 Guidelines
based on UN/EDIFACT D.96A Directory

ORDERS

Purchase order message

A message specifying details for goods or services ordered under conditions agreed between the seller and the buyer.

Segments:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>	<u>Usage</u>
0005	UNB	INTERCHANGE HEADER	C	1		Optional

Heading:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>	<u>Usage</u>
0010	UNH	MESSAGE HEADER	M	1	N1/0010	Required
0020	BGM	BEGINNING OF MESSAGE	M	1	N1/0020	Required
0030	DTM	DATE/TIME/PERIOD	M	35	N1/0030	Required
0070	FTX	FREE TEXT	C	99	N1/0070	Optional

0080		<u>Segment Group 1</u>	C	10	N	
0090	RFF	REFERENCE	M	1	N1/0090	Required

0110		<u>Segment Group 2</u>	C	99	N	
0120	NAD	NAME AND ADDRESS	M	1	N1/0120	Required

Detail:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>	<u>Usage</u>
0930		<u>Segment Group 25</u>	C	200000	N	
0940	LIN	LINE ITEM	M	1	N2/0940	Required
0950	PIA	ADDITIONAL PRODUCT ID	C	25	N2/0950	Optional
0960	IMD	ITEM DESCRIPTION	C	99	N2/0960	Optional
0980	QTY	QUANTITY	C	10	N2/0980	Optional
1080	FTX	FREE TEXT	C	99	N2/1080	Optional

1180		<u>Segment Group 28</u>	C	25	N	
1190	PRI	PRICE DETAILS	M	1	N2/1190	Required

1400		<u>Segment Group 33</u>	C	9999	N	
1410	LOC	PLACE/LOCATION IDENTIFICATION	M	1	N2/1410	Required
1420	QTY	QUANTITY	C	1	N2/1420	Optional

Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>	<u>Usage</u>
2090	UNS	SECTION CONTROL	M	1	N3/2090	Required
2110	CNT	CONTROL TOTAL	C	10	N3/2110	Optional
2160	UNT	MESSAGE TRAILER	M	1	N3/2160	Required
2170	UNZ	INTERCHANGE TRAILER	C	1		Optional

UNB INTERCHANGE HEADER

Pos: 0005	Max: 1
- Conditional	
Group: N/A	Elements: 11

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNB010	S001	SYNTAX IDENTIFIER Description: Identification of the agency controlling the syntax and indication of syntax level.	M	Comp		Required
	0001	Syntax identifier Description: Coded identification of the agency controlling a syntax and syntax level used in an interchange. User Note 1: 'UNOA'	M	A	4/4	Required
	0002	Syntax version number Description: Version number of the syntax identified in the syntax identifier (0001). User Note 1: '3'	M	N	1/1	Required
UNB020	S002	INTERCHANGE SENDER Description: Identification of the sender of the interchange.	M	Comp		Required
	0004	Sender identification Description: Name or coded representation of the sender of a data interchange. User Note 1: 'REBEL-SPORT'	M	AN	1/35	Required
	0007	Partner identification code qualifier Description: Qualifier referring to the source of codes for the identifiers of interchanging partners. User Note 1: 'ZZ'	C	AN	1/4	Optional
	0008	Address for reverse routing Description: Address specified by the sender of an interchange to be included by the recipient in the response interchanges to facilitate internal routing.	C	AN	1/14	Optional
UNB030	S003	INTERCHANGE RECIPIENT Description: Identification of the recipient of the interchange.	M	Comp		Required
	0010	Recipient identification Description: Name or coded representation of the recipient of a data interchange. User Note 1: Receiver ID - EAN-13 format	M	AN	1/35	Required
	0007	Partner identification code qualifier Description: Qualifier referring to the source of codes for the identifiers of interchanging partners. User Note 1: 'ZZ'	C	AN	1/4	Optional

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
	0014	Routing address Description: Address specified by the recipient of an interchange to be included by the sender and used by the recipient for routing of received interchanges inside his organization.	C	AN	1/14	Optional
UNB040	S004	DATE/TIME OF PREPARATION Description: Date/time of preparation of the interchange.	M	Comp		Required
	0017	Date of preparation Description: Local date when an interchange or a functional group was prepared. User Note 1: 'YYMMDD'	M	N	6/6	Required
	0019	Time of Preparation Description: Local time of day when an interchange or a functional group was prepared. User Note 1: 'HHMM'	M	N	4/4	Required
UNB050	0020	INTERCHANGE CONTROL REFERENCE Description: Unique reference assigned by the sender to an interchange. User Note 1: <i>Inserted by Rebel Sport system</i>	M	AN	1/14	Required
UNB060	S005	RECIPIENTS REFERENCE PASSWORD Description: Reference or password as agreed between the communicating partners.	C	Comp		Optional
	0022	Recipient's reference/password Description: Unique reference assigned by the recipient to the data interchange or a password to the recipient's system or to a third party network as specified in the partners interchange agreement.	M	AN	1/14	Required
	0025	Recipient's reference/password qualifier Description: Qualifier for the recipient's reference or password. All valid standard codes are used.	C	AN	2/2	Optional
UNB070	0026	APPLICATION REFERENCE Description: Identification of the application area assigned by the sender, to which the messages in the interchange relate e.g. the message identifier if all the messages in the interchange are of the same type.	C	AN	1/14	Optional
UNB080	0029	PROCESSING PRIORITY CODE Description: Code determined by the sender requesting processing priority for the interchange. All valid standard codes are used.	C	A	1/1	Optional
UNB090	0031	ACKNOWLEDGEMENT REQUEST Description: Code determined by the sender for acknowledgement of the interchange.	C	N	1/1	Optional
UNB100	0032	CUMMUNICATIONS AGREEMENT ID Description: Identification by name or code of the type of agreement under which the interchange takes place.	C	AN	1/35	Optional
UNB110	0035	TEST INDICATOR Description: Indication that the interchange is a test. All valid standard codes are used.	C	N	1/1	Optional

UNH MESSAGE HEADER

Pos: 0010	Max: 1
Heading - Mandatory	
Group: N/A	Elements: 4

To head, identify and specify a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
UNH010	0062	MESSAGE REFERENCE NUMBER Description: Unique message reference assigned by the sender. <i>User Note 1: Senders unique message reference. Sequence number of the messages in the interchange. DE 0062 in the UNT will be exactly the same. Sender generated.</i>	M	AN	1/14	Required				
UNH020	S009	MESSAGE IDENTIFIER Description: Identification of the type, version etc. of the message being interchanged.	M	Comp		Required				
	0065	Message type identifier Description: Code identifying a type of message and assigned by its controlling agency. <table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>ORDERS</td> <td>Purchase order message</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	ORDERS	Purchase order message	M	AN	1/6	Required
<u>Code</u>	<u>Name</u>									
ORDERS	Purchase order message									
	0052	Message type version number Description: Version number of a message type. <i>User Note 1: 'D'</i>	M	AN	1/3	Required				
	0054	Message type release number Description: Release number within the current message type version number (0052). <i>User Note 1: '96A'</i>	M	AN	1/3	Required				
	0051	Controlling agency Description: Code identifying the agency controlling the specification, maintenance and publication of the message type. <table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>UN</td> <td>UN/ECE/TRADE/WP.4, United Nations Standard Messages (UNSM)</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	UN	UN/ECE/TRADE/WP.4, United Nations Standard Messages (UNSM)	M	AN	1/2	Required
<u>Code</u>	<u>Name</u>									
UN	UN/ECE/TRADE/WP.4, United Nations Standard Messages (UNSM)									
	0057	Association assigned code Description: Code, assigned by the association responsible for the design and maintenance of the message type concerned, which further identifies the message. <table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>EAN008</td> <td>EAN Version Control Number</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	EAN008	EAN Version Control Number	C	AN	1/6	Required
<u>Code</u>	<u>Name</u>									
EAN008	EAN Version Control Number									
* UNH030	0068	COMMON ACCESS REFERENCE Description: Reference serving as a key to relate all subsequent transfers of data to the same business case or file.	C	AN	1/35	Not used				
* UNH040	S010	STATUS OF THE TRANSFER Description: Statement that the message is one in a sequence of transfers relating to the same topic.	C	Comp		Not used				

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
	0070	Sequence message transfer number Description: Number assigned by the sender indicating that the message is an addition or change of a previously sent message relating to the same topic.	M	N	1/2	Required
	0073	First/last sequence message transfer indication Description: Indication used for the first and last message in a sequence of the same type of message relating to the same topic. All valid standard codes are used.	C	A	1/1	Optional

User Note 1:

This segment is used to head, identify and specify a message.

DE's 0065, 0052, 0054, and 0051: Indicate that the message is an UNSM Purchase Order based on the D.96A directory under the control of the United Nations.

DE 0057: Indicates that the message is the EANCOM version 008 of the UNSM Purchase Order.

Example :

UNH+ME000001+ORDERS:D:96A:UN:EAN008'

BGM BEGINNING OF MESSAGE

Pos: 0020	Max: 1
Heading - Mandatory	
Group: N/A	Elements: 4

To indicate the type and function of a message and to transmit the identifying number.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BGM010	C002	DOCUMENT/MESSAGE NAME Description: Identification of a type of document/message by code or name. Code preferred.	C	Comp		Required
	1001	Document/message name, coded Description: Document/message identifier expressed in code. <u>Code Name</u> 220 Order 221 Blanket order 226 Call off order	C	AN	1/3	Required
*	1131	Code list qualifier Description: Identification of a code list.	C	AN	1/3	Not used
	3055	Code list responsible agency, coded Description: Code identifying the agency responsible for a code list. <u>Code Name</u> 9 EAN (International Article Numbering association)	C	AN	1/3	Dependent
*	1000	Document/message name Description: Plain language identifier specifying the function of a document/message.	C	AN	1/35	Not used
BGM020	1004	DOCUMENT/MESSAGE NUMBER Description: Reference number assigned to the document/message by the issuer. User Note 1: Order or Release Number assigned by document sender. If 'Release' then the associated Blanket Order number will be shown in the following RFF segment.	C	AN	1/35	Required
BGM030	1225	MESSAGE FUNCTION, CODED Description: Code indicating the function of the message. <u>Code Name</u> 7 Duplicate User Note 1: A retransmission involving the same parties, on the specific request of the receiver. 9 Original	C	AN	1/3	Required
* BGM040	4343	RESPONSE TYPE, CODED Description: Code specifying the type of acknowledgement required or transmitted.	C	AN	1/3	Not used

User Note 1:

This segment is used to indicate the type and function of a message and to transmit the identifying number.

DE 1001: When applicable it is recommended to use the more descriptive document name code for an order instead of the general 220 Purchase Order value.

All references other than the document number DE 1004 are in the RFF segment.

DE 1004: It is recommended that the length of document number be restricted to a maximum of 17 characters.

DE 1225: The message function, coded is a critical data element in this segment. It applies to all data indicated in the message.

7 = Duplicate - Rebel Sport will use this for a Replacement order.

9 = Original - An original transmission of a purchase order.

Example :

BGM+220+128576+9'

DTM DATE/TIME/PERIOD

Pos: 0030	Max: 35
Heading - Mandatory	
Group: N/A	Elements: 1

To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD Description: Date and/or time, or period relevant to the specified date/time/period type.	M	Comp		Required
	2005	Date/time/period qualifier Description: Code giving specific meaning to a date, time or period. <u>Code Name</u> 2 Delivery date/time, requested 61 Cancel if not delivered by this date 137 Document/message date/time	M	AN	1/3	Required
	2380	Date/time/period Description: The value of a date, a date and time, a time or of a period in a specified representation. User Note 1: <i>Date specified in format CCYYMMDD</i>	C	AN	1/35	Required
	2379	Date/time/period format qualifier Description: Specification of the representation of a date, a date and time or of a period. <u>Code Name</u> 102 CCYYMMDD	C	AN	1/3	Required

User Note 1:

This segment is used to specify the date of the Order and, where required, requested dates concerning the delivery of the goods.

DE 2005: Identification of the 'Document/message date/time' (code value 137) is mandatory in the purchase order message.

Example :

DTM+137:19990830:102'

This example dates the message as the 30th of August 1999.

DTM+2:19991001:102'

This example requests delivery on the 1st of October 1999.

FTX FREE TEXT

Pos: 0070	Max: 99
Heading - Conditional	
Group: N/A	Elements: 5

To provide free form or coded text information.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
FTX010	4451	TEXT SUBJECT QUALIFIER Description: Code specifying subject of a free text. <u>Code Name</u> PUR Purchasing information ZZZ To advise Terms for this PO (Rebel Sport only)	M	AN	1/3	Required
* FTX020	4453	TEXT FUNCTION, CODED Description: Code specifying how to handle the text.	C	AN	1/3	Not used
FTX030	C107	TEXT REFERENCE Description: Coded reference to a standard text and its source. User Note 1: <i>References to a standard text.</i>	C	Comp		Optional
	4441	Free text, coded Description: Free text in coded form.	M	AN	1/3	Required
*	1131	Code list qualifier Description: Identification of a code list.	C	AN	1/3	Not used
	3055	Code list responsible agency, coded Description: Code identifying the agency responsible for a code list. <u>Code Name</u> 92 Assigned by buyer or buyer's agent	C	AN	1/3	Optional
FTX040	C108	TEXT LITERAL Description: Free text; one to five lines. User Note 1: <i>Rebel Sport will use more than one DE4440 where necessary.</i>	C	Comp		Dependent
	4440	Free text Description: Free text field available to the message sender for information. User Note 1: <i>Free form text eg "Charge your Account Number - 12345"</i>	M	AN	1/70	Required
	4440	Free text Description: Free text field available to the message sender for information.	C	AN	1/70	Optional
	4440	Free text Description: Free text field available to the message sender for information.	C	AN	1/70	Optional
	4440	Free text Description: Free text field available to the message sender for information.	C	AN	1/70	Optional

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
	4440	Free text Description: Free text field available to the message sender for information.	C	AN	1/70	Optional
FTX050	3453	LANGUAGE, CODED Description: Code of language (ISO 639-1988). User Note 1: ISO 639 two alpha code	C	AN	1/3	Dependent

User Note 1:

This segment is used to provide free form or coded text information for the entire purchase order.

Use of this segment in free form is not recommended since it may inhibit automatic processing of the Order. Coded references to standard texts is an available functionality which enables automatic processing and reduces transmission and processing overheads. Standard texts should be mutually defined among trading partners and can be used to cover legal and other requirements.

Dependency Notes :

DE C108: This composite is only used if coded text cannot be used.

DE 3453: The language code is only used to indicate the free text language. It is only used if composite C108 is used.

Example : FTX+PUR+++Charge your account number - 12345'

Segment Group 1

Pos: 0080	Max: 10
Heading - Conditional	
Group: Group 1 Elements: N/	

Segment Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>
0090	RFF	REFERENCE	M	1	N

RFF REFERENCE

Pos: 0090	Max: 1
Heading - Mandatory	
Group: Group 1 Elements: 1	

To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE Description: Identification of a reference.	M	Comp		Required
	1153	Reference qualifier Description: Code giving specific meaning to a reference segment or a reference number. <u>Code Name</u> CT Contract Number User Note 1: <i>Used as a Generic code to represent Associated Blanket Order Number or Rebel's Internal Blockout Number</i>	M	AN	1/3	Required
	1154	Reference number Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier. User Note 1: <i>Associated Blanket Order Number or Rebel's Internal Blockout number</i>	C	AN	1/35	Required
*	1156	Line number Description: Number of the line in the document/message referenced in 1154 Reference number.	C	AN	1/6	Not used
*	4000	Reference version number Description: To uniquely identify a reference by its revision number.	C	AN	1/35	Not used

User Note 1:

This segment is used to specify other references which relate to the transmission, for example, contract numbers, price list numbers, etc. The references given at this point are valid for the whole document unless superseded by references at line level.

If this is a Call Off Order (Order Release) this segment will contain the Blanket Order Number. Otherwise this segment will specify Rebel's Internal Blockout Number.

Example :

RFF+CT:65274' Blanket Order Number, or Rebel Sport Internal Blockout Number

Segment Group 2

Pos: 0110	Max: 99
Heading - Conditional	
Group: Group 2 Elements: N/	

Segment Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>
0120	NAD	NAME AND ADDRESS	M	1	N

NAD NAME AND ADDRESS

Pos: 0120	Max: 1
Heading - Mandatory	
Group: Group 2 Elements: 9	

To specify the name/address and their related function, either by CO82 only and/or unstructured by CO58 or structured by CO80 thru 3207.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD010	3035	PARTY QUALIFIER Description: Code giving specific meaning to a party. <u>Code Name</u> BY Buyer IV Invoicee ST Ship to	M	AN	1/3	Required
NAD020	C082	PARTY IDENTIFICATION DETAILS Description: Identification of a transaction party by code.	C	Comp		Recommended
	3039	Party id. identification Description: Code identifying a party involved in a transaction. User Note 1: <i>EAN Location Code - Format n13 (Preferred).</i> <i>If not available then use non-EAN numbers and specify qualifier in DE 3055</i>	M	AN	1/35	Required
*	1131	Code list qualifier Description: Identification of a code list. All valid standard codes are used.	C	AN	1/3	Not used
	3055	Code list responsible agency, coded Description: Code identifying the agency responsible for a code list. <u>Code Name</u> 9 EAN (International Article Numbering association) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent	C	AN	1/3	Required
* NAD030	C058	NAME AND ADDRESS Description: Unstructured name and address: one to five lines.	C	Comp		Not used
	3124	Name and address line Description: Free form name and address description.	M	AN	1/35	Required
	3124	Name and address line Description: Free form name and address description.	C	AN	1/35	Optional
	3124	Name and address line Description: Free form name and address description.	C	AN	1/35	Optional
	3124	Name and address line Description: Free form name and address description.	C	AN	1/35	Optional
	3124	Name and address line Description: Free form name and address description.	C	AN	1/35	Optional
NAD040	C080	PARTY NAME Description: Identification of a transaction party by name, one to five	C	Comp		Dependent

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		lines. Party name may be formatted.				
	3036	Party name Description: Name of a party involved in a transaction. User Note 1: <i>Party Name in clear text.</i>	M	AN	1/35	Required
	3036	Party name Description: Name of a party involved in a transaction.	C	AN	1/35	Optional
	3036	Party name Description: Name of a party involved in a transaction.	C	AN	1/35	Optional
	3036	Party name Description: Name of a party involved in a transaction.	C	AN	1/35	Optional
	3036	Party name Description: Name of a party involved in a transaction.	C	AN	1/35	Optional
	3045	Party name format, coded Description: Specification of the representation of a party name. All valid standard codes are used.	C	AN	1/3	Optional
NAD050	C059	STREET Description: Street address and/or PO Box number in a structured address: one to three lines.	C	Comp		Dependent
	3042	Street and number/p.o. box Description: Street and number in plain language, or Post Office Box No. User Note 1: <i>Building Name/Number and Street</i>	M	AN	1/35	Required
	3042	Street and number/p.o. box Description: Street and number in plain language, or Post Office Box No. User Note 1: <i>Name and/or P.O. Box.</i>	C	AN	1/35	Optional
	3042	Street and number/p.o. box Description: Street and number in plain language, or Post Office Box No.	C	AN	1/35	Optional
	3042	Street and number/p.o. box Description: Street and number in plain language, or Post Office Box No.	C	AN	1/35	Optional
NAD060	3164	CITY NAME Description: Name of a city (a town, a village) for addressing purposes. User Note 1: <i>City/Town name, clear text</i>	C	AN	1/35	Dependent
NAD070	3229	COUNTRY SUB-ENTITY IDENTIFICATION Description: Identification of the name of sub-entities (state, province) defined by appropriate governmental agencies. User Note 1: <i>County/State in clear text.</i>	C	AN	1/9	Dependent
NAD080	3251	POSTCODE IDENTIFICATION Description: Code defining postal zones or addresses. User Note 1: <i>Postal Code</i>	C	AN	1/9	Dependent
NAD090	3207	COUNTRY, CODED	C	AN	1/3	Depend

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: Identification of the name of a country or other geographical entity as specified in ISO 3166.				ent

User Note 1: ISO 3166 two alpha code

User Note 1:

The NAD segment is used to identify the trading partners involved in the Order process. Identification of the buyer and supplier of goods and services is mandatory in the Order using DE's 3035 and C082. Additionally, the invoicee and delivery party need to be specified if different than the buyers address.

The delivery address given in NAD at header level is the main delivery address for all line items. In the case of a split delivery however, delivery addresses will appear at the line level by the use of Segment Group 32 LOC/QTY. Delivery address in the NAD segment at the header level will only appear if the order is Direct-Ship or Ship-To-DC.

If coded address information can not be used it is recommended to use a structured address (C080 through 3207).

Example :

NAD+BY+ME::92'

NAD+IV+999::92'

NAD+ST+002::92'

Segment Group 25

Pos: 0930	Max: 200000
Detail - Conditional	
Group: Group 25 Elements: 1	

Segment Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>
0940	LIN	LINE ITEM	M	1	N
0950	PIA	ADDITIONAL PRODUCT ID	C	25	N
0960	IMD	ITEM DESCRIPTION	C	99	N
0980	QTY	QUANTITY	C	10	N
1080	FTX	FREE TEXT	C	99	N
1180		Segment Group 28	C	25	N
1400		Segment Group 33	C	9999	N

LIN**LINE ITEM**

Pos: 0940	Max: 1
Detail - Mandatory	
Group: Group 25Elements: 6	

To identify a line item and configuration.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LIN010	1082	LINE ITEM NUMBER Description: Serial number designating each separate item within a series of articles. User Note 1: <i>Application generated number of the count of the order lines.</i>	C	N	1/6	Required
* LIN020	1229	ACTION REQUEST/NOTIFICATION, CODED Description: Code specifying the action to be taken or already taken.	C	AN	1/3	Not used
LIN030	C212	ITEM NUMBER IDENTIFICATION Description: Goods identification for a specified source.	C	Comp		Dependent
	7140	Item number Description: A number allocated to a group or item. User Note 1: <i>Format n..14 EAN-8, UPC-A, EAN-13, or DUN-14 - this is the number of the article being ordered. If EAN numbers not available then use PIA segment.</i>	C	AN	1/35	Required
	7143	Item number type, coded Description: Identification of the type of item number. Code Name EN International Article Numbering Association (EAN)	C	AN	1/3	Required
*	1131	Code list qualifier Description: Identification of a code list. All valid standard codes are used.	C	AN	1/3	Not used
	3055	Code list responsible agency, coded Description: Code identifying the agency responsible for a code list. Code Name 1 CCC (Customs Co-operation Council) 2 CEC (Commission of the European Communities) 3 IATA (International Air Transport Association) 5 ISO (International Organization for Standardization) 6 UN/ECE (United Nations - Economic Commission for Europe) 7 CEFIC (Conseil Europeen des Federations de l'Industrie Chimique) 8 EDIFICE 9 EAN (International Article Numbering association) 10 ODETTE 17 S.W.I.F.T. 28 EDITEUR (European book sector electronic data interchange group) 60 Assigned by national trade agency 86 Assigned by party originating the message 87 Assigned by carrier 88 Assigned by owner of operation 89 Assigned by distributor	C	AN	1/3	Optional

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		90 Assigned by manufacturer				
		91 Assigned by seller or seller's agent				
		92 Assigned by buyer or buyer's agent				
		112 US, U.S. Census Bureau				
		113 US, UPC (Uniform product code)				
		116 US, ANSI ASC X12				
		182 US, Standard Carrier Alpha Code (Motor)				
		ZZZ Mutually defined				
LIN040	C829	SUB-LINE INFORMATION Description: To provide an indication that a segment or segment group is used to contain sub-line or sub-line item information and to optionally enable the sub-line to be identified.	C	Comp		Dependent
	5495	Sub-line indicator, coded Description: Indication that the segment and/or segment group is used for sub-line item information. All valid standard codes are used.	C	AN	1/3	Required
	1082	Line item number Description: Serial number designating each separate item within a series of articles.	C	N	1/6	Required
* LIN050	1222	CONFIGURATION LEVEL Description: Number indicating the level of an object which is in a hierarchy.	C	N	1/2	Not used
LIN060	7083	CONFIGURATION, CODED Description: Code indicating the status of the sub-line item in the configuration. All valid standard codes are used.	C	AN	1/3	Dependent

User Note 1:

This segment is used to identify the item being ordered.

The detail section of the Purchase Order is formed by a repeating group of segments, always starting with the LIN segment.

Each occurrence of LIN will usually correspond to a different product being ordered.

Dependency Notes :

DE C212: This composite will only be used for the identification of EAN/UPC codes. If another coding structure is required, e.g. HIBC, then this composite will not be used and the code will be detailed in the PIA segment.

Data elements 5495 and 7083 are only used when sub-lines are required.

Example :

LIN+1++5412345111115:EN' (where item APN is known)

or

LIN+1' (where item APN is not known, refer PIA segment for Vendor Product ID)

PIA**ADDITIONAL PRODUCT ID**

Pos: 0950	Max: 25
Detail - Conditional	
Group: Group 25Elements: 6	

A segment providing either additional identification to the product specified in the LIN segment (e.g. Harmonized System number), or provides any substitute product identification.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PIA010	4347	PRODUCT ID. FUNCTION QUALIFIER Description: Indication of the function of the product code. <u>Code Name</u> 5 Product identification	M	AN	1/3	Required
PIA020	C212	ITEM NUMBER IDENTIFICATION Description: Goods identification for a specified source. User Note 1: <i>Only used if EAN number not available</i>	M	Comp		Required
	7140	Item number Description: A number allocated to a group or item. User Note 1: <i>Specify Vendor Item Number</i>	C	AN	1/35	Required
	7143	Item number type, coded Description: Identification of the type of item number. <u>Code Name</u> VN Vendor item number	C	AN	1/3	Required
*	1131	Code list qualifier Description: Identification of a code list. All valid standard codes are used.	C	AN	1/3	Not used
	3055	Code list responsible agency, coded Description: Code identifying the agency responsible for a code list. <u>Code Name</u> 91 Assigned by seller or seller's agent	C	AN	1/3	Optional
* PIA030	C212	ITEM NUMBER IDENTIFICATION Description: Goods identification for a specified source.	C	Comp		Not used
	7140	Item number Description: A number allocated to a group or item.	C	AN	1/35	Required
	7143	Item number type, coded Description: Identification of the type of item number. <u>Code Name</u> SN Serial number	C	AN	1/3	Required
*	1131	Code list qualifier Description: Identification of a code list. All valid standard codes are used.	C	AN	1/3	Not used
	3055	Code list responsible agency, coded Description: Code identifying the agency responsible for a code list. <u>Code Name</u> 92 Assigned by buyer or buyer's agent	C	AN	1/3	Optional
* PIA040	C212	ITEM NUMBER IDENTIFICATION	C	Comp		Not

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: Goods identification for a specified source.				used
	7140	Item number Description: A number allocated to a group or item.	C	AN	1/35	Required
	7143	Item number type, coded Description: Identification of the type of item number.	C	AN	1/3	Required
*	1131	Code list qualifier Description: Identification of a code list. All valid standard codes are used.	C	AN	1/3	Not used
	3055	Code list responsible agency, coded Description: Code identifying the agency responsible for a code list.	C	AN	1/3	Optional
* PIA050	C212	ITEM NUMBER IDENTIFICATION Description: Goods identification for a specified source.	C	Comp		Not used
	7140	Item number Description: A number allocated to a group or item.	C	AN	1/35	Required
	7143	Item number type, coded Description: Identification of the type of item number.	C	AN	1/3	Required
*	1131	Code list qualifier Description: Identification of a code list. All valid standard codes are used.	C	AN	1/3	Not used
	3055	Code list responsible agency, coded Description: Code identifying the agency responsible for a code list.	C	AN	1/3	Optional
* PIA060	C212	ITEM NUMBER IDENTIFICATION Description: Goods identification for a specified source.	C	Comp		Not used
	7140	Item number Description: A number allocated to a group or item.	C	AN	1/35	Required
	7143	Item number type, coded Description: Identification of the type of item number.	C	AN	1/3	Required
*	1131	Code list qualifier Description: Identification of a code list. All valid standard codes are used.	C	AN	1/3	Not used
	3055	Code list responsible agency, coded Description: Code identifying the agency responsible for a code list.	C	AN	1/3	Optional

User Note 1:

This segment is used to specify additional or substitutional item identification codes such as a buyers, or sellers item number.

DE 4347: Product Id function coded has the following restricted coded functions:

5 - Product Identification - To provide an additional product identification which is of equal importance or significance to the code provided in the LIN segment.

Examples :

PIA+5+76543:VN::91' Vendor product number

IMD**ITEM DESCRIPTION**

Pos: 0960	Max: 99
Detail - Conditional	
Group: Group 25 Elements: 4	

To describe an item in either an industry or free format.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
* IMD010	7077	ITEM DESCRIPTION TYPE, CODED Description: Code indicating the format of a description.	C	AN	1/3	Not used
* IMD020	7081	ITEM CHARACTERISTIC, CODED Description: Code specifying the item characteristic being described.	C	AN	1/3	Not used
IMD030	C273	ITEM DESCRIPTION Description: Description of an item. User Note 1: Use DE 7008 twice if necessary for full description	C	Comp		Recommended
	7009	Item description identification Description: Code from an industry code list which provides specific data about a product characteristic.	C	AN	1/17	Optional
*	1131	Code list qualifier Description: Identification of a code list.	C	AN	1/3	Not used
	3055	Code list responsible agency, coded Description: Code identifying the agency responsible for a code list. <u>Code Name</u> 9 EAN (International Article Numbering association)	C	AN	1/3	Optional
	7008	Item description Description: Plain language description of articles or products. User Note 1: Structured description details of unit (Rebel Sport Price Labels) Eg. Label Description	C	AN	1/35	Optional
	7008	Item description Description: Plain language description of articles or products. User Note 1: Structured Colour, Size details of unit (Rebel Sport Price Labels) First 25 characters: Colour Description Next 10 characters: Size Description	C	AN	1/35	Optional
*	3453	Language, coded Description: Code of language (ISO 639-1988).	C	AN	1/3	Not used
* IMD040	7383	SURFACE/LAYER INDICATOR, CODED Description: Code indicating the surface or layer of a product that is being described. All valid standard codes are used.	C	AN	1/3	Not used

User Note 1:

This segment is used to describe the current line item.

It is recommended that this segment only be used for coded descriptions. Data element 7008 in clear text should only be used when no product code is available or when free-form descriptions are required by trading partners.

If both free-form and coded descriptions are required then the IMD segment must be repeated.

Example :

IMD+++CU::9:TENNIS SHOES:BLACK SIZE 6'

NB: This segment is used if Vendor Item code is sent in the PIA segment, or of the Supplier is asked to generate Rebel Sport price tickets.

QTY QUANTITY

Pos: 0980	Max: 10
Detail - Conditional	
Group: Group 25Elements: 1	

To specify a pertinent quantity.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
QTY010	C186	QUANTITY DETAILS Description: Quantity information in a transaction, qualified when relevant.	M	Comp		Required
	6063	Quantity qualifier Description: Code giving specific meaning to a quantity. <u>Code Name</u> 21 Ordered quantity	M	AN	1/3	Required
	6060	Quantity Description: Numeric value of a quantity. User Note 1: <i>Specify quantity</i>	M	N	1/15	Required
	6411	Measure unit qualifier Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed. User Note 1: <i>Specify Unit of Measure</i>	C	AN	1/3	Dependent

User Note 1:

This segment is used to specify the total quantity ordered for the current line identified in the LIN segment.

If split deliveries are being used, the quantities for the split delivery are specified in segment group 32. The totals for all quantities expressed in the QTY's at segment group level must equal the value in this QTY segment.

Example :

QTY+21:48:EA'

FTX FREE TEXT

Pos: 1080	Max: 99
Detail - Conditional	
Group: Group 25 Elements: 5	

To provide free form or coded text information.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
FTX010	4451	TEXT SUBJECT QUALIFIER Description: Code specifying subject of a free text. <u>Code Name</u> LIN Line item User Note 1: <i>General use</i> PRD Product information User Note 1: <i>Rebel Long Code</i>	M	AN	1/3	Required
* FTX020	4453	TEXT FUNCTION, CODED Description: Code specifying how to handle the text.	C	AN	1/3	Not used
FTX030	C107	TEXT REFERENCE Description: Coded reference to a standard text and its source. User Note 1: <i>References to standard text.</i>	C	Comp		Dependent
	4441	Free text, coded Description: Free text in coded form.	M	AN	1/3	Required
	1131	Code list qualifier Description: Identification of a code list.	C	AN	1/3	Optional
	3055	Code list responsible agency, coded Description: Code identifying the agency responsible for a code list.	C	AN	1/3	Optional
FTX040	C108	TEXT LITERAL Description: Free text; one to five lines.	C	Comp		Dependent
	4440	Free text Description: Free text field available to the message sender for information. User Note 1: <i>Qualifier LIN: Use for Rebel Sport line item comment</i> <i>Qualifier PRD: Use for Rebel Long Code</i>	M	AN	1/70	Required
	4440	Free text Description: Free text field available to the message sender for information.	C	AN	1/70	Optional
	4440	Free text Description: Free text field available to the message sender for information.	C	AN	1/70	Optional
	4440	Free text Description: Free text field available to the message sender for information.	C	AN	1/70	Optional

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
	4440	Free text Description: Free text field available to the message sender for information.	C	AN	1/70	Optional
FTX050	3453	LANGUAGE, CODED Description: Code of language (ISO 639-1988). User Note 1: ISO 639 two alpha code	C	AN	1/3	Dependent

User Note 1:

This segment is used to specify any special requirements for the current line item.

Use of this segment in free form is not recommended since it may inhibit automatic processing of the Order. Coded references to standard texts is an available functionality which enables automatic processing and reduces transmission and processing overheads. Standard texts should be mutually defined among trading partners and can be used to cover legal and other requirements.

When sent with LIN qualifier, this is used for Line item comment

When sent with PRD qualifier, this is used for Rebel Long Item code. This will ONLY be sent if the Supplier is asked to generate Rebel Sport Price tickets.

Dependency Notes :

DE C107: This composite is only used when trading partners have agreed to use mutually defined code values.

DE C108: This composite is only used if coded text cannot be used.

DE 3453: The language code is only used to indicate the free text language. It is only used if composite C108 is used.

Example :

FTX+LIN+++PO Line Comment'

or

FTX+PRD+++SIZE 6 1601-00504-0003-500-0000018432420001999'

*In this case: Characters 1 to 10 : Size Description
 Characters 11 to 34 :Rebel Long Item Code
 Characters 35 to 42 :Rebel Internal Short SKU
 Characters 43 to 49 :Retail Price in \$\$\$\$cc format.*

Segment Group 28

Pos: 1180 Max: 25
Detail - Conditional
Group: Group 28 Elements: 1

Segment Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>
1190	PRI	PRICE DETAILS	M	1	N

PRI PRICE DETAILS

Pos: 1190 Max: 1
Detail - Mandatory
Group: Group 28 Elements: 2

To specify price information.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PRI010	C509	PRICE INFORMATION Description: Identification of price type, price and related details.	C	Comp		Required
	5125	Price qualifier Description: Identification of a type of price. <u>Code Name</u> AAA Calculation net User Note 1: Allowances and Charges included, excluding taxes. ALC segment group may be provided for information purposes.	M	AN	1/3	Required
	5118	Price Description: The monetary value associated with a purchase or sale of an article, product or service. User Note 1: Specify price. Send decimal point only where needed.	C	N	1/15	Required
	5375	Price type, coded Description: Code identifying the type of price of an item. <u>Code Name</u> CT Contract	C	AN	1/3	Optional
	5387	Price type qualifier Description: Code identifying pricing specification. <u>Code Name</u> RTP Retail price TU Traded unit	C	AN	1/3	Optional
*	5284	Unit price basis Description: Basis on which the unit price/rate applies.	C	N	1/9	Not used
	6411	Measure unit qualifier Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.	C	AN	1/3	Dependent
* PRI020	5213	SUB-LINE PRICE CHANGE, CODED Description: Code indicating disposition of the price change of a sub-line item. All valid standard codes are used.	C	AN	1/3	Not used

User Note 1:

This segment details the order price for the current line item.

Dependency Notes :

Data elements 5284 and 6411 are only used to indicate that the price is for a variable quantity product.

Example :

PRI+AAA:14.58:CT:TU'

Segment Group 33

Pos: 1400 Max: 9999
Detail - Conditional
Group: Group 33 Elements: 1

Segment Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>
1410	LOC	PLACE/LOCATION IDENTIFICATION	M	1	N
1420	QTY	QUANTITY	C	1	N

LOC PLACE/LOCATION IDENTIFICATION

Pos: 1410	Max: 1
Detail - Mandatory	
Group: Group 33	Elements: 5

To identify a country/place/location/related location one/related location two.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LOC010	3227	PLACE/LOCATION QUALIFIER Description: Code identifying the function of a location. <u>Code Name</u> 7 Place of delivery	M	AN	1/3	Required
LOC020	C517	LOCATION IDENTIFICATION Description: Identification of a location by code or name.	C	Comp		Recommended
	3225	Place/location identification Description: Identification of the name of place/location, other than 3164 City name. User Note 1: <i>Rebel Sport Store code</i>	C	AN	1/25	Required
*	1131	Code list qualifier Description: Identification of a code list.	C	AN	1/3	Not used
	3055	Code list responsible agency, coded Description: Code identifying the agency responsible for a code list. <u>Code Name</u> 92 Assigned by buyer or buyer's agent	C	AN	1/3	Optional
*	3224	Place/location Description: Name of place/location, other than 3164 City name.	C	AN	1/70	Not used
* LOC030	C519	RELATED LOCATION ONE IDENTIFICATION Description: Identification the first related location by code or name.	C	Comp		Not used
	3223	Related place/location one identification Description: Specification of the first related place/location by code. User Note 1: <i>Specify ultimate delivery location, e.g. a specific point on a works site.</i>	C	AN	1/25	Required
	1131	Code list qualifier Description: Identification of a code list.	C	AN	1/3	Optional
	3055	Code list responsible agency, coded Description: Code identifying the agency responsible for a code list. <u>Code Name</u> 1 CCC (Customs Co-operation Council) 2 CEC (Commission of the European Communities) 3 IATA (International Air Transport Association) 5 ISO (International Organization for Standardization) 6 UN/ECE (United Nations - Economic Commission for Europe) 7 CEFIC (Conseil Europeen des Federations de l'Industrie Chimique) 8 EDIFICE 9 EAN (International Article Numbering association) 10 ODETTE	C	AN	1/3	Optional

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		17 S.W.I.F.T.				
		28 EDITEUR (European book sector electronic data interchange group)				
		60 Assigned by national trade agency				
		86 Assigned by party originating the message				
		87 Assigned by carrier				
		88 Assigned by owner of operation				
		89 Assigned by distributor				
		90 Assigned by manufacturer				
		91 Assigned by seller or seller's agent				
		92 Assigned by buyer or buyer's agent				
		112 US, U.S. Census Bureau				
		113 US, UPC (Uniform product code)				
		116 US, ANSI ASC X12				
		182 US, Standard Carrier Alpha Code (Motor)				
		ZZZ Mutually defined				
	3222	Related place/location one	C	AN	1/70	Optional
		Description: Specification of the first related place/location by name.				
* LOC040	C553	RELATED LOCATION TWO IDENTIFICATION	C	Comp		Not used
		Description: Identification of second related location by code or name.				
	3233	Related place/location two identification	C	AN	1/25	Required
		Description: Specification of a second related place/location by code.				
		User Note 1: <i>Used to further detail the delivery location.</i>				
	1131	Code list qualifier	C	AN	1/3	Optional
		Description: Identification of a code list.				
	3055	Code list responsible agency, coded	C	AN	1/3	Optional
		Description: Code identifying the agency responsible for a code list.				
		<u>Code Name</u>				
		1 CCC (Customs Co-operation Council)				
		2 CEC (Commission of the European Communities)				
		3 IATA (International Air Transport Association)				
		5 ISO (International Organization for Standardization)				
		6 UN/ECE (United Nations - Economic Commission for Europe)				
		7 CEFIC (Conseil Europeen des Federations de l'Industrie Chimique)				
		8 EDIFICE				
		9 EAN (International Article Numbering association)				
		10 ODETTE				
		17 S.W.I.F.T.				
		28 EDITEUR (European book sector electronic data interchange group)				
		60 Assigned by national trade agency				
		86 Assigned by party originating the message				
		87 Assigned by carrier				
		88 Assigned by owner of operation				
		89 Assigned by distributor				
		90 Assigned by manufacturer				
		91 Assigned by seller or seller's agent				
		92 Assigned by buyer or buyer's agent				
		112 US, U.S. Census Bureau				
		113 US, UPC (Uniform product code)				
		116 US, ANSI ASC X12				
		182 US, Standard Carrier Alpha Code (Motor)				
		ZZZ Mutually defined				
	3232	Related place/location two	C	AN	1/70	Optional

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: Specification of a second related place/location by name.				
* LOC050	5479	RELATION, CODED Description: To specify the relationship between two or more items.	C	AN	1/3	Not used

User Note 1:

This segment is used to identify the location of delivery for a split delivery order, or in the case of a DC delivery order it represents the stores for which the goods are destined.

Example :

LOC+7+002::92'

QTY QUANTITY

Pos: 1420	Max: 1
Detail - Conditional	
Group: Group 33Elements: 1	

To specify a pertinent quantity.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
QTY010	C186	QUANTITY DETAILS Description: Quantity information in a transaction, qualified when relevant.	M	Comp		Required
	6063	Quantity qualifier Description: Code giving specific meaning to a quantity. <u>Code Name</u> 11 Split quantity	M	AN	1/3	Required
	6060	Quantity Description: Numeric value of a quantity.	M	N	1/15	Required
*	6411	Measure unit qualifier Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.	C	AN	1/3	Not used

User Note 1:

This segment is used to indicate the delivery quantity for the delivery location specified in the previous LOC segment. The total of all quantities specified in segment group 32 for the line, must equal the value for the total quantity detailed in the QTY segment at line level.

Dependency Notes :

DE 6411: This DE is only used if the product being ordered is a variable quantity product.

Example :

QTY+11:14'

UNS SECTION CONTROL

Pos: 2090	Max: 1
Summary - Mandatory	
Group: N/A	Elements: 1

To separate header, detail, and summary sections of a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNS010	0081	SECTION IDENTIFICATION	M	A	1/1	Required
Description: A character identifying the next section in a message.						
<u>Code Name</u>						
S Detail/summary section separation						

User Note 1:

This segment is used to separate the detail and summary sections of the ORDERS message.

Example : 'UNS+S'

CNT CONTROL TOTAL

Pos: 2110	Max: 10
Summary - Conditional	
Group: N/A	Elements: 1

To provide control total.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CNT010	C270	CONTROL Description: Control total for checking integrity of a message or part of a message.	M	Comp		Required
	6069	Control qualifier Description: Determines the source data elements in the message which forms the basis for 6066 Control value. <u>Code Name</u> 2 Number of line items in message	M	AN	1/3	Required
	6066	Control value Description: Value obtained from summing the values specified by the Control Qualifier throughout the message (Hash total). User Note 1: <i>Number of line items</i>	M	N	1/18	Required
*	6411	Measure unit qualifier Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.	C	AN	1/3	Not used

User Note 1:

This segment is used to provide message control totals.

Example :

CNT+2:4'

There are four LIN segments in the current message.

UNT MESSAGE TRAILER

Pos: 2160	Max: 1
Summary - Mandatory	
Group: N/A	Elements: 2

To end and check the completeness of a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNT010	0074	NUMBER OF SEGMENTS IN A MESSAGE Description: Control count of number of segments in a message. User Note 1: <i>The total number of segments in the message is detailed here.</i>	M	N	1/6	Required
UNT020	0062	MESSAGE REFERENCE NUMBER Description: Unique message reference assigned by the sender. User Note 1: <i>The message reference number detailed here should equal the one specified in the UNH segment.</i>	M	AN	1/14	Required

User Note 1:

The UNT segment is a mandatory UN/EDIFACT segment. It must always be the last segment in the message.

Example :

UNT+48+ME000001'

UNZ INTERCHANGE TRAILER

Pos: 2170	Max: 1
Summary - Conditional	
Group: N/A	Elements: 2

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNZ010	0036	INTERCHANGE CONTROL COUNT Description: Count either of the number of messages or, if used, of the number of functional groups in an interchange.	M	N	1/6	Required
UNZ020	0020	INTERCHANGE CONTROL REFERENCE Description: Unique reference assigned by the sender to an interchange.	M	AN	1/14	Required

Example Order Messages

Example 1: Direct to Store

(Call-Off Order, Item APN numbers sent, No Price Tickets required)

UNB+UNOA:1+REBEL-SPORT:ZZ+YOUR-ID:ZZ+010219:1202+20778'
 UNH+1+ORDERS:D:96A:UN:EAN008'
 BGM+226+13555+9'
 DTM+137:20010214:102'
 DTM+2:20010215:102'
 DTM+61:20010217:102'
 FTX+PUR+++:::CHARGE YOUR ACCOUNT NO?:160000'
 FTX+ZZZ+++7.00% 25 DAYS'
 RFF+CT:12666' ← Blanket Order Number
 NAD+BY+01::92'
 NAD+IV+999::92'
 NAD+ST+001::92'
 LIN+1++9314237540767:EN'
 QTY+21:10:EA'
 PRI+AAA:20:CT:TU'
 LIN+2++9314237540774:EN'
 QTY+21:20:EA'
 PRI+AAA:27.9:CT:TU'
 UNS+S'
 CNT+2:2'
 UNT+20+1'
 UNZ+1+20778'

Example 2: Direct to Store

(Standalone Order, Item APN numbers sent, Price Tickets are required)

(Note that IMD and FTX+PRD segments are required).

UNB+UNOA:1+REBEL-SPORT:ZZ+YOUR-ID:ZZ+010219:1202+20778'
 UNH+1+ORDERS:D:96A:UN:EAN008'
 BGM+220+13555+9'
 DTM+137:20010214:102'
 DTM+2:20010215:102'
 DTM+61:20010217:102'
 FTX+PUR+++:::CHARGE YOUR ACCOUNT NO?:160000'
 FTX+ZZZ+++7.00% 25 DAYS'
 RFF+CT:00772' ← Rebel Sport Blockout Number
 NAD+BY+01::92'
 NAD+IV+999::92'
 NAD+ST+001::92'
 LIN+1++9314237540767:EN'
 IMD+++:::3 STR CONT/WAIST SIDE/POC:BLACK/SKY SIZE 12'

QTY+21:10:EA'
 FTX+PRD+++SIZE 12 1602-00504-0003-500-0000028432420002199'
 PRI+AAA:20:CT:TU'
 LIN+2++9314237540774:EN'
 IMD+++:::3 STR CONT/WAIST SIDE/POC:BLACK/SKY SIZE 6'
 QTY+21:20:EA'
 FTX+PRD+++SIZE 6 1605-00504-0003-500-0000058432420002199'
 PRI+AAA:27.9:CT:TU'
 UNS+S'
 CNT+2:2'
 UNT+20+1'
 UNZ+1+20778'

Example 3: Direct to Store

(Standalone, Vendor Item numbers sent, Price Tickets are required)

(Note that PIA, IMD and FTX+PRD segments are required).

UNB+UNOA:1+REBEL-SPORT:ZZ+YOUR-ID:ZZ+010219:1202+20778'
 UNH+1+ORDERS:D:96A:UN:EAN008'
 BGM+220+13556+9'
 DTM+137:20010214:102'
 DTM+2:20010215:102'
 DTM+61:20010217:102'
 FTX+PUR+++:::CHARGE YOUR ACCOUNT NO?:160000'
 FTX+ZZZ+++7.00% 25 DAYS'
 RFF+CT:00754' ← Rebel Sport Blockout Number
 NAD+BY+01::92'
 NAD+IV+999::92'
 NAD+ST+001::92'
 LIN+1'
 PIA+5+75543:VN::91'
 IMD+++:::3 STR CONT/WAIST SIDE/POC:BLACK/SKY SIZE 8'
 QTY+21:50:EA'
 FTX+PRD+++SIZE 8 1601-00504-0003-500-0000018432420001999'
 PRI+AAA:77:CT:TU'
 LIN+2'
 PIA+5+N/A:VN::91'
 IMD+++:::3 STR CONT/WAIST SIDE/POC:NAVY/PINK SIZE 12'
 QTY+21:40:EA'
 FTX+PRD+++SIZE 12 1602-00504-0003-500-0000028432420002199'
 PRI+AAA:88:CT:TU'
 UNS+S'
 CNT+2:2'
 UNT+24+1'
 UNZ+1+20778'

Example 4: Delivery to Distribution Centre (Pack by Store)**(Standalone Order, Item APN numbers sent, No Price Tickets required)***(Note: For delivery to multiple stores, NAD segment with ST qualifier will not appear.)*

UNB+UNOA:1+REBEL-SPORT:ZZ+YOUR-ID:ZZ+010219:1208+20779'
 UNH+1+ORDERS:D:96A:UN:EAN008'
 BGM+226+13555+9'
 DTM+137:20010214:102'
 DTM+2:20010215:102'
 DTM+61:20010217:102'
 FTX+PUR+++::CHARGE YOUR ACCOUNT NO?:160000'
 FTX+ZZZ+++7.00% 25 DAYS'
 RFF+CT:00753'
 NAD+BY+01::92'
 NAD+IV+999::92'
 NAD+ST+001::92'
 LIN+1++9314237540767:EN'
 QTY+21:10:EA'
 PRI+AAA:20:CT:TU'
 LOC+7+002::92'
 QTY+11:1'
 LOC+7+003::92'
 QTY+11:2'
 LOC+7+015::92'
 QTY+11:2'
 LOC+7+016::92'
 QTY+11:4'
 LOC+7+017::92'
 QTY+11:1'
 LIN+2++9314237540774:EN'
 QTY+21:20:EA'
 PRI+AAA:27.9:CT:TU'
 LOC+7+002::92'
 QTY+11:1'
 LOC+7+003::92'
 QTY+11:2'
 LOC+7+015::92'
 QTY+11:3'
 LOC+7+016::92'
 QTY+11:4'
 LOC+7+017::92'
 QTY+11:10'
 UNS+S'
 CNT+2:2'
 UNT+40+1'
 UNZ+1+20779'

***** End of Document *****